AUTHOR INDEX

ALBERSHEIM, P., 219, 245
ALTMAN, E., 89
ANGEL, A.-S., 15
ANNISON, G., 89

BAKÓ, P., 143
BEMILLER, J. N., 7
BRIMACOMBE, J. S., C5

ČAPEK, K., C1
CARTIER, N., 275
CHAMBAT, G., 275
CHRISTIAN, R., 211
CLARKE, M. A., 103
CSUK, R., C9

DARVILL, A. G., 219, 245
DAIS, P., 163
DIETRICH, W., 143
DONER, L. W., 33
DUTTON, G. G. S., 89

FALES, H. M., 191
FARKAS, I., 1
FENICHEL, L., 143
FONTANA, J. D., 55
FUNABASHI, M., 47

GAVIN, N., 125
GLÄNZER, B. I., C9
GODSHALL, M. A., 103
GORIN, P. A. J., 55
GOSWAMI, P. K., 156

HANADA, N., 120
HAROMY, T. P., 7
HICKS, K. B., 33
HILER, JR., G. D., 146
HIZUKURI, S., 79
HOGGE, L., 55
HORTON, D., 295

IACOMINI, M., 55
INOUE, Y., 181

JANSSON, P.-E., 67
JOSELEAU, J.P-., 275
JULIANO, B. O., 79

KABIR, A. K. M. S., C5
KÁLMÁN, A., 1
KENNE, L., 67
KHOWALA, S., 156
KITAHATA, S., 285
KÖLL, P., 115
KOPF, J., 115

LAU, J. M., 219, 245
LEE, E., 125
LINDH, F., 15

MAZUR, A. W., 146
MCNEIL, M., 219, 245
MEAGHER, M. M., 129
MEREYALA, H. B., 136
MESSNER, P., 211
MYERS, R. W., 7

NAGASAWA, K., 181
NAKAGAWA, T., 47
NARUI, T., 151
NICKOL, R. G., 295
NILSSON, B., 15
NÖHLE, U., 199

O'CALLAGHAN, J., 125
OHNO, N., 110
OKADA, S., 285

PADDISON, JR., J. R., 7
PÁRKÁNYI, L., 1
PARRISH, F. W., 103, 129
PENG, Q.-J., 163
PERLIN, A. S., 163
PITHA, J., 191

REILLY, P. J., 129
ROBERTS, E. J., 103

SAKAKIBARA, T., 47
SCHAUER, R., 199
SCHRÖDER, C., 199
SCHULZ, G., 211
SEDMERA, P., C1
SENGUPTA, S., 156
SHELDRICK, G. M., 115
SHIBATA, S., 151
SHINOHARA, H., 110
SHUKLA, A. K., 199
SLEYTR, U. B., 211
SOMSÁK, L., 1
SONDEY, S. M., 33
SUNDARALINGAM, M., 7
SZABO, L., 191

TAKEHARA, T., 120

TAKAHASHI, K., 151
TAKEDA, Y., 79
TÖKE, L., 143
TÓTH, G., 143
TSANG, W. S. C., 103

UNGER, F. M., 211

VARELA, O., 295
VYDRA, T., c1

WIDMALM, G., 67

YADOMAE, T., 110
YOSHIMURA, Y., 285

ZANIN, S. M. W., 55

SUBJECT INDEX

Acetolysis of α-D-glucans in the presence of 1,1,3,3-tetramethylurea, 151
α-Acetoxy-furanurono-6,3-lactones, deacetylation of, by lipases and lyophilised yeast, C9
Amylopectins with low and high affinities for iodine, structures of rice, 79
3,6-Anhydro-β-L-gulofuranoside, X-ray structure of methyl, 115
Arabinogalactan from the culture medium of *Rubus fruticosus* cells in suspension, 275
Assay of endo-β-D-xylanase activity with a soluble *O*-(carboxymethyl) derivative of larchwood xylan, 156

Basidiomycetous lichen *Cora paviona*, β-D-glucan, heteropolysaccharide, and trehalose from, 55
Binding positions in oligosaccharides and glycosphingolipids, determination by f.a.b.-m.s. of, 15

Calcium ion, binding by heparin of, 163
Carbohydrates, complex, selective degradation of the glycosyluronic acid residues of, by lithium dissolved in ethylenediamine, 219
CASPER — a computerised approach to structure determination of polysaccharides using information from n.m.r. spectroscopy and simple chemical analyses, 67
Cellobiosides, benzyl, efficient preparation of, using stannic chloride, 146
Chromatographic procedures for isolating α,β-trehalose formed during the preparation of β,β-trehalose, 129
Computerised approach to structure determination of polysaccharides using information from n.m.r. spectroscopy and simple chemical analyses, 67
Conformation of the (1→3)-β-D-glucan in the sclerotia of *Sclerotinia sclerotiorum* IFO 9395 assessed by ^{13}C c.p.–m.a.s. n.m.r. spectroscopy, 110
Cora paviona, basidiomycetous lichen, β-D-glucan, heteropolysaccharides, and trehalose from, 55
Counterion-condensation theory, relationship in heparin–calcium binding between ^{13}C-n.m.r. data and, 163
Crystal and molecular structures of 2,3,4,6-tetra-*O*-acetyl-1-bromo-D-galactopyranosyl cyanide and 2,3,4,5,7-penta-*O*-acetyl-β-D-*galacto*-2-heptulopyranosononitrile, 1
Crystal structure of diazomethyl β-D-galactopyranosyl ketone, 7
Culture medium of *Rubus fruticosus* cells in suspension, an arabinogalactan from the, 275
Cyclodextrins, reaction of, with glycidol or propylene oxide, and analysis of product distribution, 191
Cyclomalto-oligosaccharides, 6-*O*-α-maltosyl-, formation of, by transfer action of three debranching enzymes, 285

Deacetylation of α-acetoxy-furanurono-6,3-lactones by lipases and lyophilised yeast, C9
3-Deoxyaldos-2-ulose bis(thiosemicarbazones), synthesis of, 295
Determination of binding positions in oligosaccharides and glycosphingolipids by fast-atom-bombardment mass spectrometry, 15
Diacetamidodideoxyuronic acid-containing glycan chain from the S-layer glycoprotein of *Bacillus stearothermophilus*, isolation and structure determination of a, 211
Diazomethane and water, methylation of methyl α-D-hexopyranosides with, 181

E. coli K32, capsular polysaccharide, structure, 89
Efficient preparation of benzyl glycosides of lactose and cellobiose using stannic chloride, 146

Formation of 6-*O*-α-maltosylcyclomalto-oligosaccharides by transfer action of three debranching enzymes, 285

D-Galactopyranosyl cyanide, crystal and molecular structures of 2,3,4,6-tetra-*O*-acetyl-1-bromo-, 1
Glucan in the sclerotia *Sclerotinia sclerotiorum* IFO 9395, conformation of the (1→3)-β-D-, assessed by ^{13}C c.p.–m.a.s. n.m.r. spectroscopy, 110
(1→3)-α-D-Glucan synthase from *Streptococcus mutans* AHT (serotype *g*), the purification of the, and its inability to synthesise glucan without primer, 120
α-D-Glucans, acetolysis of, in the presence of 1,1,3,3-tetramethylurea, 151
Glycoprotein of *Bacillus stearothermophilus*, isolation and structure determination of a diacetamidodideoxyuronic acid-containing glycan chain from the S-layer, 211

Heparin, binding of calcium ion by, 163
2-Heptulopyranosononitrile, crystal and molecular structures of 2,3,4,5,7-penta-*O*-acetyl-β-D-*galacto*, 1

Hexopyranoside *p*-tolylsulfonates, n.m.r. studies of some *cis- and trans*-fused, 125
α-D-Hexopyranosides, methyl, methylation with diazomethane and water of, 181

Isolation and structure determination of a diacetamidodideoxyuronic acid-containing glycan chain from the S-layer glycoprotein of *Bacillus stearothermophilus*, 211

Ketone, diazomethyl β-D-galactopyranosyl, the crystal structure of, 7

Lactosides, benzyl, efficient preparation of, using stannic chloride, 146
Lichen, basidiomycetous, *Cora paviona*, β-D-glucan, heteropolysaccharide, and trehalose from, 55
Lipases and lyophilised yeast, deacetylation of α-acetoxy-furanurono-6,3-lactones by, C9
Liquid chromatography, preparative, of carbohydrates, 33

Methanolysis of polysaccharides: a new method, 103
Methyl 2,3-anhydro-4,6-*O*-benzylidene-α-D-allopyranoside, reaction of ethanolamine and 1,4,7,10-tetraoxa-13-azacyclopentadecane with, 143
Methyl 3,6-anhydro-β-L-gulofuranoside, X-ray structure of, 115
Methylation of methyl α-D-hexopyranosides with diazomethane and water, 181

Neuraminic acids, *N*-acetyl and *N*-glycoloyl, *O*-acetylated, 2,3-unsaturated, occurrence and preparation of, 199
N.m.r. studies of some *cis*- and *trans*-fused hexopyranoside *p*-tolylsulfonates, 125

Octitols from D-glucose and D-mannose derivatives *via* osmylation, the synthesis of new, C1
Oligosaccharides and glycosphingolipids, determination by f.a.b.-m.s. of binding positions in, 15
One-step method for the preparation of 2-pyridyl 2-deoxy-1-thiohexopyranosides from glycal esters, 136
Osmylation, the synthesis of new octitols from D-glucose and D-mannose derivatives *via*, C1
Oxirane–oxetane–1,4-dioxane anhydro-ring migration in sucrose derivatives, C5

Polysaccharides, a computerised approach to structure determination of, using information from n.m.r. spectroscopy and simple chemical analyses, 67
Polysaccharides, a new method for methanolysis of, 103
Polysaccharide of *E. coli* K32, capsular, structure, 89
Preparation and structural determination of methyl 4,6-*O*-benzylidene-2,3-dideoxy-β-D-*erythro*-hexopyranosido[2,3-*d*]triazole and of its adducts with 3-nitrohex-2-enopyranosides, 47
Preparation of 2-pyridyl 2-deoxy-1-thiohexopyranosides from glycal esters, a one-step method for the, 136
Preparative liquid chromatography of carbohydrates: mono- and di-saccharides, uronic acids and related derivatives, 33
2-Pyridyl 2-deoxy-1-thiohexopyranosides from glycal esters, a one-step method for the preparation of, 136

Reaction of cyclodextrins with propylene oxide or with glycidol: analysis of product distribution, 191
Reaction of methyl 2,3-anhydro-4,6-*O*-benzylidene- α-D-allopyranoside with ethanolamine and 1,4,7,10-tetraoxa-13-azacyclopentadecane, 143
Rhamnogalacturonan I, treatment of, with lithium in ethylenediamine, 245
Rice amylopectins with low and high affinities for iodine, structures of, 79
Ring migration in sucrose derivatives, oxirane–oxetane–1,4-dioxane anhydro, C5
Rubus fruticosus cells in suspension, an arabinogalactan from the culture medium of, 275

Saccharides, mono- and di-, preparative liquid chromatography of, 33
Sclerotinia sclerotiorum IFO 9395, conformation of the (1→3)-β-D-glucan in the sclerotia of, assessed by ^{13}C c.p.–m.a.s. n.m.r. spectroscopy, 110
Selective degradation of the glycosyluronic acid residues of complex carbohydrates by lithium dissolved in ethylenediamine, 219
Sialic acids, *O*-acylated, 2,3-unsaturated, occurrence and preparation of, 199
Starch: properties and potential *(book review)*, C1
Streptococcus mutans AHT (serotype *g*), purification of the (1→3)-α-D-glucan synthase from, and its inability to synthesise glucan without primer, 120
Structure of the capsular polysaccharide of *Escherichia coli* O9:K32(A):H19, 89
Structures of rice amylopectins with low and high affinities for iodine, 79

Sucrose derivatives, oxirane–oxetane–1,4-dioxane anhydro-ring migration in, C5
Synthase from *Streptococcus mutans* AHT (serotype *g*), purification of the (1→3)-α-D-glucan, and its inability to synthesise glucan without primer, 120
Synthesis of new octitols from D-glucose and D-mannose derivatives *via* osmylation, C1

1,4,7,10-Tetraoxa-13-azacyclopentadecane and ethanolamine, reaction of methyl 2,3-anhydro-4,6-*O*-benzylidene-α-D-allopyranoside with, 143
Thiosemicarbazones, bis, of 3-deoxy-2-uloses, synthesis of, 295
Treatment of Rhamnogalacturonan I with lithium in ethylenediamine, 245
α,β-Trehalose, formed during the preparation of β,β-trehalose, chromatographic procedures for isolating, 129
Triazole, methyl 4,6-*O*-benzylidene-2,3-dideoxy-β-D-*erythro*-hexopyranosido[2,3-*d*]-, and its adducts with 3-nitrohex-2-enopyranosides, preparation and structural determination of, 47

2-Ulose, 3-deoxyaldos-, bis(thiosemicarbazones), synthesis of, 295
2,3-Unsaturated sialic acids, *O*-acetylated, occurrence and preparation of, 199
Urea, 1,1,3,3-tetramethyl-, use of, in the acetolysis of α-D-glucans, 151
Uronic acids, preparative liquid chromatography of, 33

X-Ray structure of methyl 3,6-anhydro-β-L-gulofuranoside, 115
Xylan, larch-wood, a soluble *O*-(carboxymethyl) derivative of, for assay of endo-β-D-xylanase activity, 156